

MANUFACTURER-SOURCE TECHNICAL REFERENCE

Bently Nevada

21000-16-05-00-080-04-02

21000-16-05-00-080-04-02 Evidence-Bounded Product Information Manual

Baker Hughes / Bently Nevada configured aluminum proximity-probe housing assembly

DOCUMENT SCOPE

Independent Apter Power manual compiled only from the cited Baker Hughes / Bently Nevada manufacturer sources. No product photograph is included.

Product / lookup identity	Bently Nevada 21000-16-05-00-080-04-02
Reference number	21000-16-05-00-080-04-02
Document basis	Published Baker Hughes / Bently Nevada product records, PDFs, and manuals listed on page 3

**Product page**

<https://www.apterpower.com/Bently-Nevada/21000-16-05-00-080-04-02>

Apter Power contact

sales13@apterpower.com | +86 180 3023 5313

Workflow and system context

Bently Nevada 21000-16-05-00-080-04-02 is an evidence-bounded configured aluminum proximity-probe housing assembly. System role: It is an aluminum housing assembly configured with a 3300 XL 8 mm probe, 0.5 m cable, no standoff, 8.0 in penetration, one plug and 3/4-14 NPT mounting thread.

- | | |
|----|--|
| 01 | System Inputs: It is an aluminum housing assembly configured with a 3300 XL 8 mm probe, 0.5 m cable, no standoff, 8.0 in penetration, one plug and 3/4-14 NPT mounting thread. |
| 02 | Processing: Apply the configured C and D dimensions, probe support rules, fittings and mounting thread exactly as documented for the machine installation. |

Published context and boundaries

- | | |
|----|--|
| 01 | Verify the complete Bently Nevada 21000-16-05-00-080-04-02 physical label and installed-system documentation before use. |
| 02 | Only CA21000 configurations carry the cited CSA explosion-proof certification; do not label this plain 21000 assembly explosion-proof. |
| 03 | Origin and HS code remain unpublished unless an exact manufacturer record or the physical package label establishes them. |

Verification and release checks

01	Verify the complete Bently Nevada 21000-16-05-00-080-04-02 label, revision and installed-system documentation before use.
02	Only CA21000 configurations carry the cited CSA explosion-proof certification; do not label this plain 21000 assembly explosion-proof.
03	De-energize the equipment and follow the site's approved electrical and process-safety procedure before disturbing hardware or wiring.
04	Back up controller, drive, network and configuration data before replacement, migration or firmware work.
05	Verify every companion module, cable, connector, termination and power source from approved drawings.
06	Do not copy electrical, communication, mechanical or lifecycle values from a related model or successor.

Identity and release controls

Verification Status	Verified Evidence Bounded
---------------------	---------------------------

Official Baker Hughes / Bently Nevada sources

Bently Nevada 21000/24701 Housing Datasheet	https://dam.bakerhughes.com/m/10dc6008c2654db1/original/21000-and-24701-Proximity-Probe-Housing-Assemblies-Datasheet-141600-pdf.pdf
---	---