

## MANUFACTURER-SOURCE TECHNICAL REFERENCE

# Bently Nevada

## 330101-00-35-10-01-05

### Product Reference

Baker Hughes / Bently Nevada configured 3300 XL 8 mm proximity probe

**DOCUMENT SCOPE**

Independent Apter Power manual compiled only from the cited Baker Hughes / Bently Nevada manufacturer sources. No product photograph is included.

|                           |                                                                                            |
|---------------------------|--------------------------------------------------------------------------------------------|
| Product / lookup identity | Bently Nevada 330101-00-35-10-01-05                                                        |
| Reference number          | 330101-00-35-10-01-05                                                                      |
| Document basis            | Published Baker Hughes / Bently Nevada product records, PDFs, and manuals listed on page 3 |

**Product page**

<https://www.apterpower.com/Bently-Nevada/330101-00-35-10-01-05>  
**Apter Power contact**

[sales13@apterpower.com](mailto:sales13@apterpower.com) | +86 180 3023 5313



## Product role and published parameters

### WHAT IT IS, WHAT IT DOES, AND WHERE IT FITS

Bently Nevada 330101-00-35-10-01-05 is an evidence-bounded configured 3300 XL 8 mm proximity probe. System role: It is a configured 3300 XL 8 mm proximity probe with 3/8-24 UNF thread and no armor. System context: Baker Hughes / Bently Nevada configured 3300 XL 8 mm proximity probe.

| Published field          | Manufacturer-published value or verified identity note |
|--------------------------|--------------------------------------------------------|
| Exact requested identity | 330101-00-35-10-01-05                                  |
| Product class            | configured 3300 XL 8 mm proximity probe                |
| Probe family             | 330101                                                 |
| Thread                   | 3/8-24 UNF                                             |
| Armor                    | Without armor                                          |
| Overall case length      | 3.5 in                                                 |
| Total probe length       | 1.0 m                                                  |

## System function and signal path

|    |                                                                                                                                                                     |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 01 | System Inputs: It is a configured 3300 XL 8 mm proximity probe with 3/8-24 UNF thread and no armor.                                                                 |
| 02 | Processing: Use only with the matching 3300 XL 8 mm extension cable and Proximitar sensor so the documented system length and electrical calibration are preserved. |

## Applications, answers, and official sources

1 Installed-base maintenance: Supports evidence-led identification and replacement planning for Bently Nevada 330101-00-35-10-01-05.

2 System documentation: Provides a source-traceable boundary for the documented Bently Nevada 3300 XL 8 mm proximity transducer system configuration.

3 Commissioning review: Guides identity, companion-hardware, wiring and controlled functional checks before return to service.

4 Migration assessment: Separates exact-model facts from successor, sibling and family-level information.

## Frequently asked questions

|                                              |                                                                                                                             |
|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| What is Bently Nevada 330101-00-35-10-01-05? | It is an evidence-bounded configured 3300 XL 8 mm proximity probe; this page is limited to the cited manufacturer evidence. |
| Is the exact identity verified?              | Verified Evidence Bounded.                                                                                                  |
| What is its system role?                     | It is a configured 3300 XL 8 mm proximity probe with 3/8-24 UNF thread and no armor.                                        |
| Which installed-base context is documented?  | Bently Nevada 3300 XL 8 mm proximity transducer system.                                                                     |
| Are related models automatic substitutes?    | No. A sibling, repair code, suffix or engineering replacement is not an unconditional drop-in approval.                     |
| Must the physical label be checked?          | Yes. Verify the model, revision, firmware and all order or configuration suffixes.                                          |

### Official Baker Hughes / Bently Nevada sources

Bently Nevada 3300 XL 8 mm Proximity Transducer System Datasheet

<https://dam.bakerhughes.com/m/23d2a1de24360b13/original/3300-XL-8mm-Proximity-Transducer-System-Datasheet-141194-pdf.pdf>