

APTER POWER INSTALLATION & VERIFICATION REFERENCE

6ES7131-6BF00-0BA0

Field checklist for eight-channel digital acquisition and successor planning

ENGINEERING LENS	EIGHT-CHANNEL DIGITAL ACQUISITION AND SUCCESSOR PLANNING
SYSTEM	SIMATIC ET 200SP distributed I/O
SOURCE CONTROL	Manufacturer-published information only

This separate field reference focuses on eight-channel digital acquisition and successor planning. It does not replace the current Siemens installation, safety, or commissioning instructions.


Manufacturer	Siemens
Prepared by	Apter Power
Document ID	AP-SIEM-15-6ES7131-6BF00-0BA0-IV-R1
Revision	R1
Issue date	2026-08-14

APTER POWER SALES TEAM

INDUSTRIAL AUTOMATION PRODUCT SUPPORT

Engineering clarity for eight-channel digital acquisition and successor planning.

WHATSAPP / PHONE +86 180 3023 5313
EMAIL sales13@apterpower.com
WEBSITE www.apterpower.com



SCAN FOR PRODUCT & QUOTE
6ES7131-6BF00-0BA0

1. Pre-Installation Decision Gates

Step	Gate	Required evidence
1	Identity	Match every character of 6ES7131-6BF00-0BA0; photograph all labels, revisions, and option markings.
2	Host architecture	Confirm the exact SIMATIC ET 200SP distributed I/O rack, slot, controller, project, and approved topology.
3	Primary risk	Document the evidence for eight-channel digital acquisition and successor planning before disconnection or energization.
4	Electrical / signal	Verify supply, signal type, range, polarity, grounding, shielding, pinout, and load from the exact manufacturer document.
5	Lifecycle	Siemens lists the article as a spare part that is no longer available and identifies 6ES7131-6BF01-0BA0 as the successor. Verify engineering compatibility before migration.
6	Commissioning	Use the manufacturer test procedure, capture measured results, and obtain release authorization before return to service.

Model-Specific Precautions

- Match every character of 6ES7131-6BF00-0BA0 to the physical nameplate before work.
- Use the exact Siemens manual, wiring drawing, and safety instructions for the installed revision.
- De-energize and apply the required lockout, discharge, ESD, and stored-energy controls before removal.
- Back up firmware, parameters, controller project, calibration, and network settings where applicable.
- Verify supply, signal type, polarity, grounding, shielding, connector pinout, load, and environmental limits.
- Commission with the manufacturer test procedure and record results before returning equipment to service.

2. Wiring, Configuration and Commissioning Record

Record item	Site entry
Physical model / article	
Serial / hardware revision	
Host system / machine	
Rack / slot / physical location	
Supply and grounding checked	
Signal type / range / pinout	
Firmware / project / calibration backup	
Functional or safety test result	
Technician / reviewer / date	

Stop Condition

Do not energize 6ES7131-6BF00-0BA0 if any suffix, supply, pinout, host-system assignment, safety classification, or eight-channel digital acquisition and successor planning requirement remains unresolved.

3. Source Basis and Field Handover

Official manufacturer source

Siemens SiePortal product data for 6ES7131-6BF00-0BA0 and ET 200SP product information A5E03799595.

<https://mall.industry.siemens.com/mall/zh/cn/Catalog/Product/6ES7131-6BF00-0BA0>

Handover Checklist

Handover item	Status
Manufacturer document attached	
Nameplate photographs archived	
Project / settings backup archived	
Test evidence approved	
Lifecycle or migration action recorded	

Important Notice

This Apter Power checklist is not a Siemens installation instruction. The current manufacturer documentation, physical nameplate, host-equipment manual, safety study, and site procedures control all work.

APTER POWER SALES TEAM


INDUSTRIAL AUTOMATION PRODUCT SUPPORT

Engineering clarity for eight-channel digital acquisition and successor planning.

WHATSAPP / PHONE +86 180 3023 5313

EMAIL sales13@apterpower.com

WEBSITE www.apterpower.com



SCAN FOR PRODUCT & QUOTE

6ES7131-6BF00-0BA0