

ICS Triplex T8891C

T8891C Evidence-Bounded Product Information Manual

Rockwell Automation conformally coated versatile-field two-channel DC relay field termination assembly

DOCUMENT SCOPE

Independent Apter Power manual compiled only from the cited Rockwell Automation manufacturer sources. No product photograph is included.

Product / lookup identity	ICS Triplex T8891C
Reference number	T8891C
Document basis	Published Rockwell Automation product records, PDFs, and manuals listed on page 3



Product page

<https://www.apterpower.com/ICS-Triplex/t8891c>

Apter Power contact

sales13@apterpower.com | +86 180 3023 5313

Workflow and system context

ICS Triplex T8891C is an evidence-bounded conformally coated versatile-field two-channel DC relay field termination assembly. System role: It is a 2-channel Trusted conformally coated FTA used only with the compatible module, cable and application documented for its exact model.

- | | |
|----|---|
| 01 | System Inputs: It is a 2-channel Trusted conformally coated FTA used only with the compatible module, cable and application documented for its exact model. |
| 02 | Processing: Verify the paired Trusted I/O module, cable assembly, field voltage, wiring and hazardous-area requirements from the exact product manual. |

Published context and boundaries

- | | |
|----|--|
| 01 | Verify the complete ICS Triplex T8891C physical label and installed-system documentation before use. |
| 02 | Do not transfer channel ratings or wiring from T8846/T8891 siblings, other FTAs or the T8442 speed module without the exact compatibility table. |
| 03 | Origin and HS code remain unpublished unless an exact manufacturer record or the physical package label establishes them. |

Verification and release checks

01	Verify the complete ICS Triplex T8891C label, revision and installed-system documentation before use.
02	Do not transfer channel ratings or wiring from T8846/T8891 siblings, other FTAs or the T8442 speed module without the exact compatibility table.
03	De-energize the equipment and follow the site's approved electrical and process-safety procedure before disturbing hardware or wiring.
04	Back up controller, drive, network and configuration data before replacement, migration or firmware work.
05	Verify every companion module, cable, connector, termination and power source from approved drawings.
06	Do not copy electrical, communication, mechanical or lifecycle values from a related model or successor.

Identity and release controls

Verification Status	Verified Exact Model And Part Number
---------------------	--------------------------------------

Official Rockwell Automation sources

Trusted FTA Supply Lifecycle Status Announcement	https://support.rockwellautomation.com/cc/okcsFattachCustom/get/1131372_3
Trusted Product Descriptions and Manuals	https://www.rockwellautomation.com/en-se/docs/aadvance-trusted-sis-workstation/2-01-00/aadvance-trusted-sis-workstation-software-ditamap/working-with-tr-applications/tr-product-descriptions-and-manuals.html