

MANUFACTURER-SOURCE TECHNICAL REFERENCE

Bently Nevada 21504-00-24-10-02

21504-00-24-10-02 Evidence-Bounded Product Information Manual

Baker Hughes / Bently Nevada 7200 Series 8 mm standard-mount proximity probe configuration

DOCUMENT SCOPE

Independent Apter Power manual compiled only from the cited Baker Hughes / Bently Nevada manufacturer sources. No product photograph is included.

Product / lookup identity	Bently Nevada 21504-00-24-10-02
Reference number	21504-00-24-10-02
Document basis	Published Baker Hughes / Bently Nevada product records, PDFs, and manuals listed on page 3



Product page

<https://www.apterpower.com/Bently-Nevada/21504-00-24-10-02>

Apter Power contact

sales13@apterpower.com | +86 180 3023 5313

Workflow and system context

Bently Nevada 21504-00-24-10-02 is an evidence-bounded 7200 Series 8 mm standard-mount proximity probe configuration. System role: It is an 8 mm standard-mount, 3/8-24 UNF-2A probe without lead armor, with the documented case and cable options.

- | | |
|----|---|
| 01 | System Inputs: It is an 8 mm standard-mount, 3/8-24 UNF-2A probe without lead armor, with the documented case and cable options. |
| 02 | Processing: Use only with the exact host, terminal base, cable, firmware and engineering configuration documented for the installed system. |

Published context and boundaries

- | | |
|----|---|
| 01 | Attached-source boundary: Customer-supplied Bently Nevada 7200 Proximity Transducer Systems Technical/Ordering Information scan, pages 1-9 through 1-12; SHA-256 103C75CDE3B14A1250F5E51D9CF5A457BD907D96252CBC146D9B22A671F43709. The scan is used only for the printed 7200 ordering table and system-level specifications. |
| 02 | Verify the complete Bently Nevada 21504-00-24-10-02 physical label and installed-system documentation before use. |
| 03 | Use only with the matching 7200 extension cable and 18745 Proximitor that produce the required 5 m or 9 m total system length. |

Verification and release checks

01	Verify the complete Bently Nevada 21504-00-24-10-02 label, revision and installed-system documentation before use.
02	Use only with the matching 7200 extension cable and 18745 Proximitar that produce the required 5 m or 9 m total system length.
03	De-energize the equipment and follow the site's approved electrical and process-safety procedure before disturbing hardware or wiring.
04	Back up controller, drive, network and configuration data before replacement, migration or firmware work.
05	Verify every companion module, cable, connector, termination and power source from approved drawings.
06	Do not copy electrical, communication, mechanical or lifecycle values from a related model or successor.

Identity and release controls

Verification Status	Verified Evidence Bounded
---------------------	---------------------------

Official Baker Hughes / Bently Nevada sources

7200 Proximity Transducer Systems - Technical/Ordering Information	https://www.apterpower.com/uploadfile/2026-08-25/b8c85fdb45.pdf
--	---