


MANUFACTURER-SOURCE TECHNICAL REFERENCE

HOFFMAN LHC252015

LHC252015 Product Information Manual

INLINE hinged-door wall-mount enclosure

**DOCUMENT SCOPE**

Independent Apter Power manual limited to verified identity evidence and any directly relevant nVent HOFFMAN sources listed in this document. No product photograph is included.

Product / lookup identity	HOFFMAN LHC252015
Reference number	LHC252015
Document basis	Published nVent HOFFMAN product records, PDFs, and manuals listed on page 3

**Product page**

<https://www.apterpower.com/HOFFMAN/lhc252015>

Apter Power contact

sales13@apterpower.com | +86 180 3023 5313

Workflow and system context

nVent HOFFMAN LHC252015 is an INLINE hinged-door enclosure measuring 250 x 200 x 150 mm. Use LHC252015 only with the exact host, rack or chassis, terminal hardware, cable and project configuration specified for the installed system.

01	System Inputs: INLINE hinged-door wall-mount enclosure
02	Processing: Use LHC252015 only with the exact host, rack or chassis, terminal hardware, cable and project configuration specified for the installed system.

Published context and boundaries

01	Use LHC252015 only with the exact host, rack or chassis, terminal hardware, cable and project configuration specified for the installed system.
02	Estimated shipping dimensions: 22.3 x 15.4 x 25 cm.
03	Country of origin: USA.

Verification and release checks

01	Verify the complete HOFFMAN LHC252015 physical label before use.
02	Use LHC252015 only with the exact host, rack or chassis, terminal hardware, cable and project configuration specified for the installed system.
03	Confirm the exact rack or chassis position, terminal assembly, cable, connector, power and project revision.
04	De-energize the equipment unless the exact hardware manual and site procedure explicitly permit energized service.
05	Back up controller, communication and I/O configuration before replacement or migration work.
06	Do not transfer electrical, communication or mechanical values from a related model or different suffix.

Identity and release controls

Verification Status	Verified Product Reference
---------------------	----------------------------