

MANUFACTURER-SOURCE TECHNICAL REFERENCE

ABB DSAI110 57120001-DP

Product Reference

ABB Advant Master analog-input module product reference

DOCUMENT SCOPE

Independent Apter Power manual limited to verified identity evidence and any directly relevant ABB sources listed in this document. No product photograph is included.

Product / lookup identity	ABB DSAI110 57120001-DP
Reference number	DSAI110 57120001-DP
Document basis	Published ABB product records, PDFs, and manuals listed on page 3



Product page

<https://www.apterpower.com/ABB/dsai110-57120001-dp>
Apter Power contact

sales13@apterpower.com | +86 180 3023 5313

Product role and published parameters

WHAT IT IS, WHAT IT DOES, AND WHERE IT FITS

ABB DSAI110 is an evidence-bounded Advant Master analog-input module. Compatibility boundary: Signal type, range, termination unit and cable must be verified from the installed Advant Master documentation; do not copy DSAI130 or DSAI145 data. System context: ABB Advant Master analog-input module product reference.

Published field	Manufacturer-published value or verified identity note
Model	DSAI110
Part number	57120001-DP
Role	Analog input module
Channels	32
Lifecycle in cited system list	Obsolete; verify current replacement/service status
Verification Status	Verified Model And Part

System function and signal path

01	System Inputs: Advant Master analog-input module
02	Processing: Signal type, range, termination unit and cable must be verified from the installed Advant Master documentation; do not copy DSAI130 or DSAI145 data.



Applications, answers, and official sources

1

Installed-base maintenance: Supports evidence-led identification and maintenance planning for ABB DSAI110.

2

Compatibility review: Compares the exact model, part label, rack, companion hardware, cable and terminal unit before replacement.

3

Installation planning: Defines the documentation, isolation, wiring and configuration checks required before field work.

4

Commissioning and troubleshooting: Supports controlled channel, communication, diagnostic, alarm and fail-state verification after work.

Frequently asked questions

Is ABB DSAI110 compatible with my installed controller or rack?	Compatibility is not decided by the model name alone. Match the full label, host family, rack, terminal unit, cable, firmware and project documentation.
What information should I provide with an RFQ?	Provide clear photos of the complete nameplate, front and rear connectors, installed rack/slot, companion hardware and the current project or wiring document reference.
Can this item replace a similar ABB model or suffix?	Not automatically. A sibling, revised suffix, predecessor or successor must be treated as distinct until ABB documentation and the installed project confirm the substitution.
Which applications are appropriate for this product?	Use it only in the ABB host system, rack position, terminal unit and process function shown in approved project documentation.
What must an engineer verify before installation?	Verify isolation, rack position, power, keying, terminal unit, cable, connector, channel mapping, firmware and configuration backup.
Can it be installed or removed while energized?	Treat the module as non-hot-swappable unless the exact ABB hardware manual and site procedure explicitly permit energized replacement.