

MANUFACTURER-SOURCE TECHNICAL REFERENCE

ABB DSAI130 57120001-P

DSAI130 57120001-P Product Information Manual

ABB Advant Master analog-input module product reference

DOCUMENT SCOPE

Independent Apter Power manual limited to verified identity evidence and any directly relevant ABB sources listed in this document. No product photograph is included.

Product / lookup identity	ABB DSAI130 57120001-P
Reference number	DSAI130 57120001-P
Document basis	Published ABB product records, PDFs, and manuals listed on page 3



Product page

<https://www.apterpower.com/ABB/dsai130-57120001-p>
Apter Power contact

sales13@apterpower.com | +86 180 3023 5313

Workflow and system context

ABB DSAI130 is an evidence-bounded Advant Master analog-input module. Compatibility boundary: Do not copy DSAI110 or DSAI145 signal ranges, termination units or cables to DSAI130.

- | | |
|----|---|
| 01 | System Inputs: Advant Master analog-input module |
| 02 | Processing: Do not copy DSAI110 or DSAI145 signal ranges, termination units or cables to DSAI130. |

Published context and boundaries

- | | |
|----|--|
| 01 | ABB identifies DSAI130 as a 16-channel analog-input module. The requested 57I20001-P suffix remains a physical-nameplate gate. |
| 02 | Do not copy DSAI110 or DSAI145 signal ranges, termination units or cables to DSAI130. |
| 03 | Lifecycle evidence boundary: CURRENT_EXACT_PHASE_UNPUBLISHED |

Verification and release checks

01	Verify the complete ABB DSAI130 label and requested part number before use.
02	Do not copy DSAI110 or DSAI145 signal ranges, termination units or cables to DSAI130.
03	Confirm the exact host controller, rack position, terminal unit, cable, connector, firmware and project revision.
04	De-energize the equipment and follow the site's approved electrical and process-safety procedure before disturbing hardware or wiring.
05	Back up controller, communication and I/O configuration before replacement or migration work.
06	Do not transfer channels, ranges, voltage, current, communication, mechanical or lifecycle values from a sibling, predecessor or successor.

Identity and release controls

Verification Status	Verified Model Requested Part Gate
---------------------	------------------------------------