

MANUFACTURER-SOURCE TECHNICAL REFERENCE

General Electric IS200TRLYH1BED

Product Reference

General Electric IS200TRLYH1BED Official-Source Product Reference

DOCUMENT SCOPE

Independent Apter Power manual compiled only from the cited General Electric manufacturer sources. No product photograph is included.

Product / lookup identity	General Electric IS200TRLYH1BED
Reference number	IS200TRLYH1BED
Document basis	Published General Electric product records, PDFs, and manuals listed on page 3

**Product page**

<https://www.apterpower.com/General-Electric/is200trlyh1bed>
Apter Power contact

sales13@apterpower.com | +86 180 3023 5313

Product role and published parameters

WHAT IT IS, WHAT IT DOES, AND WHERE IT FITS

General Electric IS200TRLYHIBED is an evidence-bounded Mark VIe relay terminal-board revision. System role: The verified TRLYHIB base is a relay-board family used with documented PDOA I/O packs in Mark VIe architectures. System context: General Electric IS200TRLYHIBED Official-Source Product Reference.

Published field	Manufacturer-published value or verified identity note
Requested full label	IS200TRLYHIBED
Verified base family	TRLYHIB
Documented I/O packs	PDOAH1A and PDOAH1B, subject to certificate quantity/revision notation
Suffix ED	Physical revision gate; no revision-specific ratings transferred
Distinct existing page	IS200TRLYHIBGF ID 854607 - do not merge
Exact relay ratings and terminals	Verify exact GE manual and project drawings
Origin / HS / dimensions / weight	Unpublished

System function and signal path

01	System Inputs: The verified TRLYHIB base is a relay-board family used with documented PDOA I/O packs in Mark VIe architectures.
02	Processing: Use only the exact compatible I/O pack quantity, board revision and project wiring defined by GE Vernova documentation and the installed panel.

Applications, answers, and official sources

1 Installed-base maintenance: Supports evidence-led identification and replacement planning for General Electric IS200TRLYHIBED.

2 System documentation: Provides a source-traceable boundary for the documented host, I/O, communication or termination role.

3 Commissioning review: Guides identity, companion-hardware, wiring and controlled functional checks before return to service.

4 Migration assessment: Separates exact-model facts from suffix, sibling, predecessor, successor and family-level information.

Frequently asked questions

What is General Electric IS200TRLYHIBED?	It is an evidence-bounded Mark VIe relay terminal-board revision; this page is limited to the cited manufacturer-source boundary.
Is the exact identity verified?	Verified Trlyh1B Base With Full Suffix Nameplate Gate.
What is its documented role?	The verified TRLYHIB base is a relay-board family used with documented PDOA I/O packs in Mark VIe architectures.
Are suffixes or related models automatic substitutes?	No. Revision suffixes, sibling models, predecessor and successor products must be verified separately.
Must the physical nameplate be checked?	Yes. Verify the full model, suffix, revision and every supplied order or drawing number.
Can family specifications be copied to this exact item?	No. Family context is not permission to publish unverified exact-item parameters.

Official General Electric sources

GE Mark VIe Control Product Description	https://www.ge.com/content/dam/gepower-new/global/en_US/downloads/gas-new-site/resources/automation/gea-s1300_mark_vie_control_product_description.pdf
---	---