

MANUFACTURER-SOURCE TECHNICAL REFERENCE

Honeywell MC-TAIH02 51304453-150

MC-TAIH02 Product Information Manual

HLAI/STI field termination assembly

DOCUMENT SCOPE

Apter Power product reference prepared from product-specific Honeywell technical information. Confirm the complete product identity and installed-system requirements before use. No product photograph is included.

Product / lookup identity	Honeywell MC-TAIH02 51304453-150
Reference number	51304453-150
Document basis	Product-specific Honeywell technical information



Product page

<https://www.apterpower.com/Honeywell/mc-taih02-51304453-150>

Apter Power contact

sales13@apterpower.com | +86 180 3023 5313

Workflow and system context

Honeywell MC-TAIH02 is a 16-channel HLAI/STI field termination assembly with compression terminals. Its primary hardware function is HLAI/STI field termination assembly.

- | | |
|----|--|
| 01 | System Inputs: HLAI/STI field termination assembly |
| 02 | Processing: Honeywell MC-TAIH02 is a 16-channel HLAI/STI field termination assembly with compression terminals. Its part number is 51304453-150. |

Published context and boundaries

- | | |
|----|---|
| 01 | Use MC-TAIH02 with the exact Honeywell host, companion hardware, terminal assembly and field wiring specified for the installed system. |
| 02 | Verify model MC-TAIH02 and part number 51304453-150 on the physical label before use. |
| 03 | Match every MC-TAIH02 connector, terminal, cable and companion assembly before moving field wiring. |

Verification and release checks

01	Verify model MC-TAIH02 and part number 51304453-150 on the physical label before use.
02	Use MC-TAIH02 with the exact Honeywell host, companion hardware, terminal assembly and field wiring specified for the installed system.
03	Match every MC-TAIH02 connector, terminal, cable and companion assembly before moving field wiring.
04	Back up the applicable controller, node, I/O or communication configuration before replacing MC-TAIH02.
05	Isolate energy before handling MC-TAIH02 unless the applicable hardware procedure explicitly permits energized service.
06	Follow ESD controls and protect MC-TAIH02 connectors and printed-circuit assemblies during handling.

Identity and release controls

Verification Status	Product Reference
---------------------	-------------------