

IC693ACC310

Series 90-30 Blank-slot Filler Module



INSTALLATION AND COMMISSIONING WORKBOOK

1

IDENTIFY

2

ISOLATE

3

INSTALL

4

VERIFY

Preparation gate

Complete these checks before disconnecting the installed product.

1

Confirm IC693ACC310 and the exact unused rack position.

☐

2

Isolate the Series 90-30 power supply before accessing the baseplate.

☐

3

Compare the live rack with the approved slot and I/O configuration record.

☐

4

Do not remove a CPU, power, communication or configured I/O module for a filler.

☐

PRE-WORK RECORD

Work order

Drawing / revision

Checked by

Date

Installation and connection sequence

Fit IC693ACC310 only in an unused Series 90-30 baseplate position after confirming the rack drawing and adjacent module clearances. After installation, verify the filler is fully seated and that no configured I/O position was displaced.

05

Use ESD precautions around adjacent electronic modules and backplane connectors.

06

Inspect the filler latches and the baseplate guides before insertion.

07

Seat the filler without forcing or contacting adjacent wiring.

08

Restore power and verify that the PLC reports the same configured module set.

Commissioning record

Record the controlled checks used to release this exact product.

1. Identity / article	PASS / FAIL	_____

2. Mechanical installation	PASS / FAIL	_____

3. Power / wiring	PASS / FAIL	_____

4. Grounding / shielding	PASS / FAIL	_____

5. Configuration	PASS / FAIL	_____

6. Signal response	PASS / FAIL	_____

7. Diagnostics / alarms	PASS / FAIL	_____

8. Final release	PASS / FAIL	_____

MODEL-SPECIFIC ACCEPTANCE

Confirm IC693ACC310, the Series 90-30 baseplate type, the intentionally unused slot, adjacent module hardware revisions, enclosure airflow, latching and the unchanged PLC configuration and diagnostic state before closing the cabinet.

Engineering navigation and closeout

Eight different validated product pages for related system planning.

VALIDATED RELATED ENGINEERING PAGES	
01	IS200ECTBG1A exciter contact terminal board
02	IS200TRTDH1CCC RTD terminal board
03	IC693CHS398 Series 90-30 expansion baseplate
04	IS200ACLEH1BCB application control layer module
05	DS200TCDAF1BCM digital I/O board
06	IS200STAOH2AAA analog output module
07	IS200BTCH1BBB control card
08	IS200EMIOH1ACA exciter main I/O board

Navigation links only - not manufacturer evidence for technical parameters.

MANUFACTURER SOURCE

Series 90-30 PLC Product Catalog | GFA-148K, January 2004

APTER POWER SALES TEAM

WHATSAPP / PHONE

+86 180 3023 5313

EMAIL

sales13@apterpower.com

WEBSITE

www.apterpower.com



IC693ACC310