

Z1006

HIMA industrial safety-system module

It performs the configured module role within a HIMA safety automation installation.

IDENTITY	VALUE
Manufacturer	HIMA
Model	Z1006
Product type	HIMA industrial safety-system module
HS code	8537101190
Shipping location	Xiamen, Fujian, China

Product-specific system role

- Uses the Z1006 model identity
- Occupies the assigned HIMA system position
- Interfaces with the installed safety-system hardware
- Supports controlled proof-test and diagnostic verification

APTER POWER SALES TEAM

WHATSAPP / PHONE +86 180 3023 5313

EMAIL sales13@apterpower.com

WEBSITE www.apterpower.com



Z1006

Technical Specifications

PARAMETER	VERIFIED VALUE
Model	Z1006
Manufacturer	HIMA

Verified system context

- Compatible HIMA safety controller
- Assigned rack or carrier position
- Installed safety wiring
- Approved safety application and proof-test procedure

MODEL-SPECIFIC ENGINEERING NOTE

Place the process in its approved safe state, preserve terminal and slot identities, restore the validated safety application and complete the required proof test before return to service.

System Function and Engineering Context

- Uses the Z1006 model identity
- Occupies the assigned HIMA system position
- Interfaces with the installed safety-system hardware
- Supports controlled proof-test and diagnostic verification

Companion components

- Compatible HIMA safety controller
- Assigned rack or carrier position
- Installed safety wiring
- Approved safety application and proof-test procedure

APPLICATION	SYSTEM ROLE
Process safety shutdown	Uses Z1006 in the documented HIMA safety automation system arrangement.
Burner or turbine protection	Uses Z1006 in the documented HIMA safety automation system arrangement.
Safety-system maintenance	Uses Z1006 in the documented HIMA safety automation system arrangement.
Proof-test and restoration work	Uses Z1006 in the documented HIMA safety automation system arrangement.

Installation and Commissioning Controls

1

Verify the complete Z1006 marking and the assigned HIMA safety automation system position before work.

2

Place the connected machine or process in the approved maintenance state before disturbing Z1006.

3

Isolate the applicable power and field energy, then confirm a safe state before disconnecting Z1006.

4

Record connector, conductor, slot and configuration identities before removal of Z1006.

5

Use ESD controls and protect keyed interfaces, exposed contacts and electronic assemblies during handling.

6

Confirm that the installed companion hardware and approved project match the Z1006 arrangement.

7

Restore power in a controlled sequence and review device, rack and host diagnostics.

8

Prove the intended function and retain the final test result before returning Z1006 to service.

Engineer FAQ - Part 1

What is Z1006?

HIMA Z1006 is hima industrial safety-system module. It performs the configured module role within a HIMA safety automation installation.

Which system uses Z1006?

Use Z1006 only in the documented HIMA safety automation system arrangement and the installed hardware configuration.

What should be checked before installing Z1006?

Confirm the complete marking, assigned position, companion hardware and approved configuration before field work.

How should wiring be handled when replacing Z1006?

Record every connector and conductor before removal, preserve polarity and shielding, and follow the applicable manufacturer connection instructions.

Engineer FAQ - Part 2

How is Z1006 configured after replacement?

Restore only the approved project or device settings, then verify status and diagnostics before automatic operation.

How should Z1006 be commissioned?

Energize under controlled conditions, exercise the intended system function and record the final diagnostic state.

What maintenance record is needed for Z1006?

Retain the as-found connection record, installed position, configuration revision and functional-test result.

Can Z1006 be substituted directly?

A substitution requires complete catalog-number, hardware-revision, interface and system-compatibility checks against the controlling documentation.

Related product pages on Apter Power

MODEL	SYSTEM ROLE	APTER POWER PAGE
HIMAX-X-AO1601	Related HIMA product	View HIMAX-X-AO1601 page
HIMAX-X-BLK03	Related HIMA product	Open HIMAX-X-BLK03 listing
HIMAX-X-DI3201	Related HIMA product	Explore HIMAX-X-DI3201 module
HIMAX-X-AI3201	Related HIMA product	Review HIMAX-X-AI3201 item
F60MI2401	Related HIMA product	See F60MI2401 profile
F60CPU03	Related HIMA product	Open F60CPU03 details
F60-AO-8-01	Related HIMA product	Visit F60-AO-8-01 page
F3-DIO-16-801	Related HIMA product	View F3-DIO-16-801 option

SOURCE RECORD

HIMA system documentation and Z1006 product marking - Z1006