

C98043-A7106-L4

Functional-Safety Power Interface Board

INSTALLATION, INTERFACE AND VALIDATION WORKBOOK

Siemens identifies C98043-A7106-L4 as the Functional Safety Power Interface board supplied with 6RY1803-1DA04. It restores the specified control or power-interface function inside the matched Siemens drive assembly.

STEP	GATE	ENGINEERING PURPOSE
01	IDENTIFY	Confirm article, host and hardware
02	ISOLATE	Secure power and stored energy
03	CONNECT	Restore documented interfaces
04	VALIDATE	Prove diagnostics and function

WORKBOOK PURPOSE

Field-ready identity, isolation, connection, commissioning and closeout records for this exact Siemens article.

APTER POWER SALES TEAM

WHATSAPP / PHONE +86 180 3023 5313

EMAIL sales13@apterpower.com

WEBSITE www.apterpower.com



C98043-A7106-L4

Installation Readiness Gate

Complete the identity, host-system and isolation checks before disturbing the installed hardware.

- 1

Confirm the complete C98043-A7106-L4 marking and installed drive record before work.
- 2

Place the drive, motor and associated process in the approved maintenance state.
- 3

Isolate incoming power and prove the DC link and all stored energy discharged.
- 4

Record every connector, terminal, busbar, cable and protective-earth position before removal.

Pre-Work Evidence

EVIDENCE ITEM	RECORDED VALUE
Complete article marking	C98043-A7106-L4
Host / carrier	Siemens SINAMICS or SIMOVERT drive power-electronics system
Primary system role	Provides the documented 6ry1803-1da04 function
Acceptance boundary	Complete controlled interlock, output and machine-function tests before returning the drive to service.
Source record	Siemens product record for C98043-A7106-L4

WORK AUTHORIZATION RECORD

Work order: _____

Drawing / revision: _____

Checked by: _____

Date: _____

Isolation and Access Register

CONTROL POINT	ENGINEER RECORD
Incoming supply	Isolated / proved
Stored energy	Discharged / proved
Field connections	Identified / protected
ESD control	Established / recorded

Pre-Work Documentation

DOCUMENT	ENGINEER RECORD
Connection photograph	Reference / file
Configuration backup	Reference / revision
Diagnostic baseline	Reference / result

Connection and Installation Sequence

INSTALLATION PRINCIPLE

Before removing C98043-A7106-L4, record the complete drive identity, hardware version, mating connectors, power interfaces, grounding and configuration. Restore the exact Siemens arrangement, review diagnostics and complete controlled drive and machine tests before release.

- 1 Use ESD controls and protect all board and module interfaces from contamination or mechanical load.
- 2 Install only the documented 6ry1803-1da04 execution and restore the recorded hardware arrangement.
- 3 Restore the approved firmware, parameters and project configuration, then review all drive diagnostics.
- 4 Complete controlled interlock, output and machine-function tests before returning the drive to service.

Connection Record

CONNECTION GROUP	AS-FOUND / AS-LEFT RECORD	STATUS
Power / field connection	Reference / terminal	Checked
Signal / interface	Reference / connector	Checked
Ground / shield	Reference / point	Checked
Accessory / carrier	Reference / part	Checked

MODEL-SPECIFIC RELEASE LIMIT

Confirm C98043-A7106-L4, the complete Siemens drive type, hardware revision, 6ry1803-1da04 position, connectors and terminals, DC-link isolation, cooling, protective grounding, firmware, parameter set and controlled interlock and functional-test results before commissioning.

Interface Acceptance Criteria

ACCEPTANCE ITEM	REQUIRED EVIDENCE
Identity	C98043-A7106-L4
Host match	Siemens SINAMICS or SIMOVERT drive power-electronics system
Connection proof	Install only the documented 6ry1803-1da04 execution and restore the recorded hardware arrangement.
Configuration proof	Restore the approved firmware, parameters and project configuration, then review all drive diagnostics.

Commissioning and Acceptance Record

Record each controlled verification step before the equipment returns to automatic operation.

NO.	ACCEPTANCE CHECK	RESULT	RECORD
1	Article and host identity	PASS / FAIL	Initial / date
2	Mechanical installation	PASS / FAIL	Initial / date
3	Power and field wiring	PASS / FAIL	Initial / date
4	Grounding and shielding	PASS / FAIL	Initial / date
5	Configuration restoration	PASS / FAIL	Initial / date
6	Signal or power-path response	PASS / FAIL	Initial / date
7	Diagnostics and alarms	PASS / FAIL	Initial / date
8	Final functional release	PASS / FAIL	Initial / date

Engineering Notes

RECORD AREA	ENGINEER ENTRY
As-found condition	
Corrective action	
As-left configuration	
Outstanding restriction	
Release authorization	

CONTROLLED COMMISSIONING

Complete controlled interlock, output and machine-function tests before returning the drive to service.

Diagnostics and Release Log

EVENT	ENGINEERING RECORD
Initial energization	Result / observation
Interface or signal response	Result / observation
Alarm and diagnostic review	Result / observation
Functional release	Name / date

ACCEPTANCE AND RELEASE EVIDENCE

C98043-A7106-L4 installed-system service

C98043-A7106-L4 cabinet refurbishment

C98043-A7106-L4 controlled replacement

C98043-A7106-L4 recommissioning

Maintenance Verification and Closeout

C98043-A7106-L4 installed-system service

Restores the documented 6ry1803-1da04 position without changing the approved Siemens SINAMICS or SIMOVERT drive power-electronics system architecture.

C98043-A7106-L4 cabinet refurbishment

Preserves the recorded connector, terminal and protective-ground arrangement during planned maintenance.

C98043-A7106-L4 controlled replacement

Uses exact identity and hardware records to prevent a neighboring execution from entering the installation.

C98043-A7106-L4 recommissioning

Provides the product-specific reference for diagnostic review and functional acceptance before release.

Related Engineering Pages

MODEL	ENGINEERING ROLE	APTER POWER PAGE
6SL3320-1TE33-1AA3	Motor Module	View 6SL3320-1TE33-1AA3 page
6SL3362-0AG00-0AA1	SINAMICS component	View 6SL3362-0AG00-0AA1 page
6SL3055-0AA00-5CA2	SMC30 Sensor Module	View 6SL3055-0AA00-5CA2 page
6SL3120-1TE21-8AA4	Single Motor Module	View 6SL3120-1TE21-8AA4 page
6SL3120-1TE21-8AA3	Single Motor Module	View 6SL3120-1TE21-8AA3 page
6SL3100-0BE23-6AB0	Active Interface Module	View 6SL3100-0BE23-6AB0 page
6SL3246-0BA22-1FA0	CU250S-2 PN Control Unit	View 6SL3246-0BA22-1FA0 page
6SL3120-2TE21-0AA4	Motor Module	View 6SL3120-2TE21-0AA4 page

MANUFACTURER SOURCE RECORD

Siemens product record for C98043-A7106-L4
Siemens SiePortal / Industry Mall product record and applicable drive equipment manual

APTER POWER SALES TEAM

WHATSAPP / PHONE +86 180 3023 5313
EMAIL sales13@apterpower.com
WEBSITE www.apterpower.com



C98043-A7106-L4