

IC660BBS101

115 VAC/125 VDC 8-circuit Isolated I/O Block

Official GE Genius I/O reference for the documented 115 vac/125 vdc 8-circuit isolated i/o block.

PRODUCT SNAPSHOT

BRAND
General Electric

FAMILY
GE Genius I/O

PART
IC660BBS101

DOCUMENT STATUS
Controlled engineering copy

APTER POWER

WHATSAPP / PHONE

+86 180 3023 5313

WEBSITE

www.apterpower.com



PRODUCT OVERVIEW

IC660BBS101 provides the documented 115 vac/125 vdc 8-circuit isolated i/o block role for a matched GE Genius I/O installation.



Provides the documented 115 vac/125 vdc 8-circuit isolated i/o block function



Uses exact catalog identity IC660BBS101 for replacement control



Integrates with the matched GE Genius I/O hardware



Supports controlled connection checks and functional verification

SYSTEM COMPONENTS

DOCUMENTED COMPONENT	ROLE IN SYSTEM
IC660BBS101 product block	Matched Genius bus controller
Documented field wiring	Approved host configuration

ENGINEERING CONTEXT

The component is used with the exact terminal assembly, carrier, power grouping and bus configuration identified for IC660BBS101. Commissioning preserves the installed point map and verifies controlled field response.

TECHNICAL DATA

PARAMETER	VALUE	PARAMETER	VALUE
Discrete circuits	8	Block isolation	1500 V
Circuit grouping	Four isolated pairs	Continuous group isolation	250 VAC/VDC
Failed Switch diagnostic	Omitted for parallel manual switches	Transient group isolation	2000 V for 10 seconds
Superseded by	IC660BBS103	Selectable input filter	10 to 100 ms
Operating power	93 to 132 VAC or 105 to 132 VDC	Maximum output current	2 A

RELATED GE PRODUCT PAGES

1GE IS420UCSBH1A

2GE IC200CPUE05-JP

3GE IC200UDR005-CH

4GE IS200WREAH1ABB

5GE IS200EHPAG1DAB

6GE DS200RTBAG2AGL

7GE DS200RTBAG1AHC

8GE DS200QTBAG1ADC

9GE DS3800NGDC1B1A

TECHNICAL NOTE

Install IC660BBS101 only in the documented GE Genius I/O position. Preserve the as-found terminal mapping and configuration, then verify diagnostics and the affected field function under controlled conditions.

APPLICATIONS & PRECAUTIONS

COMMON APPLICATIONS

GE Genius I/O station maintenance

Restores the documented 115 vac/125 vdc 8-circuit isolated i/o block function in an engineered station.

Distributed I/O refurbishment

Uses exact IC660BBS101 identity when rebuilding the recorded field interface.

Control-panel modernization

Preserves the approved terminal, power and communications arrangement during migration work.

Controlled recommissioning

Verifies point mapping, diagnostics and field response before process release.

PRODUCT PRECAUTIONS

1

Confirm the full IC660BBS101 catalog marking and installed GE Genius I/O position before work.

2

Isolate the station supply and connected field energy using the approved procedure.

3

Record every terminal, common, shield, connector and configured point before removal.

4

Use ESD controls and protect backplane, terminal and connector contacts from contamination.

5

Verify each documented value for IC660BBS101 against the installed host and field circuit.

6

Restore the approved terminal assembly, power grouping and configuration record.

7

Energize in the prescribed sequence and review module, bus and point diagnostics.

8

Complete a controlled signal or load test before returning the station to service.

ENGINEER FAQ

Q1 **How is IC660BBS101 identified?**

Match the complete catalog number and the 115 VAC/125 VDC 8-circuit Isolated I/O Block designation.

Q2 **Which system accepts IC660BBS101?**

Use the documented GE Genius I/O carrier, terminal and bus arrangement.

Q3 **What records are retained before removing IC660BBS101?**

Record terminals, commons, shields, connectors, point mapping and diagnostics.

Q4 **How is IC660BBS101 isolated safely?**

Isolate station and field supplies, prove the safe state and apply ESD controls.

Q5 **Which official values govern IC660BBS101?**

Discrete circuits: 8; Circuit grouping: Four isolated pairs; Failed Switch diagnostic: Omitted for parallel manual switches; Superseded by: IC660BBS103.

Q6 **How is IC660BBS101 configuration restored?**

Restore the approved hardware execution, power grouping and point map.

Q7 **Which diagnostics follow IC660BBS101 energization?**

Review module, bus and channel status in the prescribed startup sequence.

Q8 **What releases IC660BBS101 to service?**

A controlled signal or load test with the expected field response and no active diagnostic.

RELATED APTER POWER PAGES

1 GE IS420UCSBH1A

2 GE IC200CPUE05-JP

3 GE IC200UDR005-CH

4 GE IS200WREAH1ABB

5 GE IS200EHPAG1DAB

6 GE DS200RTBAG2AGL

7 GE DS200RTBAG1AHC

8 GE DS200QTBAG1ADC

9 GE DS3800NGDC1B1A

SOURCE Genius I/O Discrete and Analog Blocks User's Manual | GE Fanuc GEK-90486D-2, September 1993

+86 180 3023 5313 | sales13@apterpower.com | www.apterpower.com