


8C-TAOXA1 51307135-175

8C-TAOXA1 Analog Output IOTA

CONTROLLED ENGINEERING COPY

Honeywell 8C-TAOXA1 51307135-175 is the 8C-TAOXA1 Analog Output IOTA used for field termination for sixteen high-level analog output channels in a documented Honeywell Experion Series 8 I/O installation. Confirm the complete identity and installed system configuration before replacement.

INSTALLATION IDENTITY	REQUIRED VALUE
Complete model	8C-TAOXA1 51307135-175
Manufacturer	Honeywell
System family	Honeywell Experion Series 8 I/O
Record scope	Installation, application and verification



APTER POWER SALES TEAM

WHATSAPP / PHONE

EMAIL

WEBSITE

+86 180 3023 5313

sales13@apterpower.com

www.apterpower.com

01 PRE-INSTALLATION PLAN

- 1

Confirm the complete 8C-TAOXA1 51307135-175 identity on the hardware and maintenance record.
- 2

Place the affected Honeywell Experion Series 8 I/O process in the approved maintenance state.
- 3

Record the installed position, connectors, terminals, wiring and configuration before removal.
- 4

Isolate all documented power and field energy and apply ESD controls where required.
- 5

Inspect the replacement identity, revision, interfaces and mating hardware before installation.

MATCHED HARDWARE

- Honeywell 8C-TAOXA1 51307135-175 with exact visible identity
- Matched Honeywell Experion Series 8 I/O host
- Documented power, field and communication interfaces
- Approved configuration and acceptance record

INSTALLATION CONTROL RECORD

CONTROL ITEM	REQUIRED RECORD
Identity	8C-TAOXA1 51307135-175 recorded
Physical interface	Installed terminals, ports and signals matched to the as-found record
Configuration	Approved Honeywell hardware and system configuration restored
Functional proof	Controlled test confirms field termination for sixteen high-level analog output channels

02 WIRING & INTERFACE CHECKS

CHECK ITEM	REQUIRED VALUE
Product type	Analog Output I/O Termination Assembly
IOTA model	8C-TAOXA1
Manufacturer item number	51307135-175
Channels	16
Signal range	4-20 mA
Execution	Coated
Redundancy form	Non-redundant A1 IOTA
Installation family	Experion Series 8 I/O

RELATED PRODUCT PAGES

1

Honeywell 8C-PAOH51 51454355-175

2

Honeywell 8C-TAIMA1 51307171-175

3

Honeywell 8C-TDILA1 51307141-175

4

Honeywell 51401496-100

5

Honeywell 51401642-150

6

Honeywell 621-2200RC

7

Honeywell MC-PAOX03 51309152-175

8

Honeywell MC-TAIH12 51304337-150


9

Honeywell MC-TAOX12 51304335-175

FIELD NOTE

Confirm 8C-TAOXA1 51307135-175 and the installed system before release.

03 COMMISSIONING WORKFLOW



COMMISSIONING ACCEPTANCE EVIDENCE

EVIDENCE ITEM	ACCEPTANCE CONDITION
Identity	8C-TAOXA1 51307135-175
Physical interface	Installed terminals, ports and signals matched to the as-found record
Configuration	Approved Honeywell hardware and system configuration restored
Functional proof	Controlled test confirms field termination for sixteen high-level analog output channels

04 RETURN-TO-SERVICE RECORD

- ☐
- Inspect the replacement identity, revision, interfaces and mating hardware before installation.

☐☐☐

VERIFICATION RECORD

PRODUCT IDENTITY	8C-TAOXA1 51307135-175
INSTALLED POSITION	Documented Honeywell Experion Series 8 I/O position
VERIFICATION METHOD	Controlled inspection and functional test
RELEASE RECORD	Final diagnostic state retained before service

FUNCTIONAL ACCEPTANCE CHECKLIST

- ☐
- Inspect the replacement identity, revision, interfaces and mating hardware before installation.

☐☐☐

SOURCE IDENTIFIERS

Honeywell Experion Series 8 I/O Specification | Honeywell manufacturer publication