

INDUSTRIAL AUTOMATION PRODUCT

8C-PAOH51 51454355-175

8C-PAOH51 HART Analog Output Module

Honeywell 8C-PAOH51 51454355-175 is the 8C-PAOH51 HART Analog Output Module used for generation and supervision of sixteen HART-capable 4-20 mA analog outputs in a documented Honeywell Experion Series 8 I/O installation. Confirm the complete identity and installed system configuration before replacement.

CONTROLLED ENGINEERING COPY

IDENTITY	VERIFIED VALUE
Manufacturer	Honeywell
System family	Honeywell Experion Series 8 I/O
Part number	8C-PAOH51 51454355-175
Document status	Controlled product and system reference

DOCUMENT SCOPE

Exact article identity, official technical data, host matching, installation checks, applications, precautions and controlled acceptance evidence.

MODEL-SPECIFIC ENGINEERING NOTE

Install 8C-PAOH51 51454355-175 only in its documented Honeywell Experion Series 8 I/O position. Preserve the exact interfaces, wiring and configuration, then verify diagnostics and generation and supervision of sixteen HART-capable 4-20 mA analog outputs under controlled conditions.

System Role and Architecture

Honeywell 8C-PAOH51 51454355-175 is the 8C-PAOH51 HART Analog Output Module used for generation and supervision of sixteen HART-capable 4-20 mA analog outputs in a documented Honeywell Experion Series 8 I/O installation. Confirm the complete identity and installed system configuration before replacement.

FUNCTION 1
Channels: 16

FUNCTION 2
Output range: 4-20 mA

FUNCTION 3
Communication: HART

FUNCTION 4
Redundancy: Optional

RELATED APTER POWER PAGES

1Honeywell 8C-TAIMA1 51307171-175

2Honeywell 8C-TAOXA1 51307135-175

3Honeywell 8C-TDILA1 51307141-175

4Honeywell 51401496-100

5Honeywell 51401642-150

6Honeywell 621-2200RC

7Honeywell MC-PAOX03 51309152-175

8Honeywell MC-TAIH12 51304337-150

9Honeywell MC-TAOX12 51304335-175

MATCHED SYSTEM COMPONENTS

NO.	DOCUMENTED COMPONENT / ROLE
01	Honeywell Experion Series 8 I/O
02	Matched Honeywell Experion Series 8 I/O host and field interface
03	Documented power, signal, communication and grounding connections
04	Approved configuration, diagnostics and acceptance record

SYSTEM INTEGRATION RECORD

INTEGRATION ITEM	DOCUMENTED ROLE
Host identity	Honeywell Experion Series 8 I/O
Interface role	generation and supervision of sixteen HART-capable 4-20 mA analog outputs
Field / power context	documented Honeywell Experion Series 8 I/O installed position
Commissioning evidence	Identity, wiring, configuration, diagnostics and controlled response recorded

INSTALLATION AND CONNECTION CHECKS

1Confirm the complete 8C-PAOH51 51454355-175 identity on the hardware and maintenance record.

2Place the affected Honeywell Experion Series 8 I/O process in the approved maintenance state.

3Record the installed position, connectors, terminals, wiring and configuration before removal.

4Isolate all documented power and field energy and apply ESD controls where required.

Technical Specifications

Technical values below are limited to the named product record and directly applicable manufacturer documentation.

PARAMETER	VALUE	PARAMETER	VALUE
Product type	HART analog output module	Communication	HART
IOM model	8C-PAOH51	Redundancy	Optional
Manufacturer item number	51454355-175	FAILOPT	Hold last value or shed to safe value per channel
Channels	16	Diagnostics	Output readback and open-wire detection
Output range	4-20 mA	Execution	Coated

RELATED PRODUCT PAGES

1Honeywell 8C-TAIMA1 51307171-175

2Honeywell 8C-TAOXA1 51307135-175

3Honeywell 8C-TDILA1 51307141-175

4Honeywell 51401496-100

5Honeywell 51401642-150

6Honeywell 621-2200RC

7Honeywell MC-PAOX03 51309152-175

8Honeywell MC-TAIH12 51304337-150

9Honeywell MC-TAOX12 51304335-175

ENGINEERING BOUNDARY

Confirm 8C-PAOH51 51454355-175, its exact host, installed position, interfaces, configuration, diagnostics and controlled acceptance evidence before release.

PRE-INSTALLATION CHECKS

- 1

Confirm the complete 8C-PAOH51 51454355-175 identity on the hardware and maintenance record.
- 2

Place the affected Honeywell Experion Series 8 I/O process in the approved maintenance state.
- 3

Record the installed position, connectors, terminals, wiring and configuration before removal.
- 4

Isolate all documented power and field energy and apply ESD controls where required.

Applications and Engineering Context

8C-PAOH51 HART Analog Output Module

Provides generation and supervision of sixteen HART-capable 4-20 mA analog outputs in the approved Honeywell Experion Series 8 I/O architecture.

Installed-system maintenance

Preserves the documented slot, termination, wiring and configuration during replacement.

Controlled commissioning

Restores power and signals in the approved sequence and reviews diagnostics.

Acceptance verification

Confirms the intended channel, network or safety function before release.

TECHNICAL NOTE

Install 8C-PAOH51 51454355-175 only in its documented Honeywell Experion Series 8 I/O position. Preserve the exact interfaces, wiring and configuration, then verify diagnostics and generation and supervision of sixteen HART-capable 4-20 mA analog outputs under controlled conditions.

MODEL-SPECIFIC ACCEPTANCE EVIDENCE

CHECK	ACCEPTANCE CONDITION
Identity	8C-PAOH51 51454355-175 recorded
Host / carrier	Honeywell Experion Series 8 I/O
Physical interface	Installed terminals, ports and signals matched to the as-found record
Configuration	Approved Honeywell hardware and system configuration restored
Functional proof	Controlled test confirms generation and supervision of sixteen HART-capable 4-20 mA analog outputs

IMPORTANT NOTICE

Confirm 8C-PAOH51 51454355-175, its exact host, installed position, interfaces, configuration, diagnostics and controlled acceptance evidence before release.

Related Products and Source Record

Brand-qualified Apter Power navigation links are provided for system planning only; manufacturer evidence remains the named source record.

RELATED PRODUCTS ON APTER POWER

1

Honeywell 8C-TAIMA1 51307171-175

View Honeywell 8C-TAIMA1 51307171-175 page

2

Honeywell 8C-TAOXA1 51307135-175

View Honeywell 8C-TAOXA1 51307135-175 page

3

Honeywell 8C-TDILA1 51307141-175

View Honeywell 8C-TDILA1 51307141-175 page

4

Honeywell 51401496-100

View Honeywell 51401496-100 page

5

Honeywell 51401642-150

View Honeywell 51401642-150 page

6

Honeywell 621-2200RC

View Honeywell 621-2200RC page

7

Honeywell MC-PAOX03 51309152-175

View Honeywell MC-PAOX03 51309152-175 page

8

Honeywell MC-TAIH12 51304337-150

View Honeywell MC-TAIH12 51304337-150 page

9

Honeywell MC-TAOX12 51304335-175

View Honeywell MC-TAOX12 51304335-175 page

MANUFACTURER SOURCE RECORD

Honeywell Experion Series 8 I/O Specification | Honeywell manufacturer publication

APTER POWER SALES TEAM

WHATSAPP / PHONE

+86 180 3023 5313

EMAIL

sales13@apterpower.com

WEBSITE

www.apterpower.com



RECOMMENDATION SCOPE

These links support product navigation and comparison. Technical values in this document are sourced only from the manufacturer record above.