

Pre-work control

Bently Nevada 330910-014-19-10-02-00

1

Identify

Compare complete 330910-014-19-10-02-00 marking with purchase and installed-channel records.

2

Secure

Put the machine and protection channel into the approved maintenance state before work.

3

Record

Capture probe position, extension cable, connector, armor route and monitor channel.

4

Check code

Leave 014 and 19 dimension meanings unassigned until exact manufacturer or nameplate evidence is available.

APTER POWER SALES TEAM

WHATSAPP / PHONE +86 180 3023 5313

EMAIL sales13@apterpower.com

WEBSITE www.apterpower.com



330910-014-19-10-02-00

Installation checks

Bently Nevada 330910-014-19-10-02-00

1 Inspect

Check M10 receiving thread, target surface and case clearance on the actual machine.

2 Fit

Install the armored case using the site-approved torque and thread-engagement method.

3 Cable

Route the one-metre standard lead without kinks or tension and respect bend-radius guidance.

4 Connect

Seat the ClickLoc connector and verify the matched NSv extension cable.

APTER POWER SALES TEAM

WHATSAPP / PHONE +86 180 3023 5313

EMAIL sales13@apterpower.com

WEBSITE www.apterpower.com



330910-014-19-10-02-00

Commissioning observations

Bently Nevada 330910-014-19-10-02-00

1

Gap

Set the probe gap using the documented NSv system and target procedure.

2

Power

Restore the sensor and monitor in the controlled site sequence.

3

Diagnose

Check bias, channel health and any fault indications at the receiving monitor.

4

Prove

Verify controlled position or vibration response with the installed system configuration.

APTER POWER SALES TEAM

WHATSAPP / PHONE +86 180 3023 5313

EMAIL sales13@apterpower.com

WEBSITE www.apterpower.com



330910-014-19-10-02-00

Acceptance and records

Bently Nevada 330910-014-19-10-02-00

1

Compare

Do not substitute another 330910 suffix without verifying physical fit and approvals.

2

Document

Keep as-found and as-left identities, test data and acceptance authorization.

3

Release

Return the machine to service only after the responsible site owner accepts the channel.

4

Navigation

Related ApterPower links are catalogue references, not interchangeable-spare approvals.

Manufacturer evidence: Baker Hughes / Bently Nevada, 3300 XL NSv Proximity Transducer System Datasheet 147385 Rev. R, ordering information and specifications.

Related ApterPower product pages / navigation only

[Bently Nevada 330103-00-03-10-02-00](#)

[Bently Nevada 330130-040-01-00](#)

[Bently Nevada 330850-50-05](#)

APTER POWER SALES TEAM

WHATSAPP / PHONE +86 180 3023 5313

EMAIL sales13@apterpower.com

WEBSITE www.apterpower.com



330910-014-19-10-02-00