

Product dashboard

Yokogawa FC11*A AS S9051BE-0 is a legacy control-system card identified by the FC11*A model and S9051BE-0 assembly marking together. Replacement requires an exact match of the installed station, slot, connectors, switch settings and board revision.

Exact model
FC11*A AS S9051BE-0

Product type
CENTUM-XL Interface and Control Card

System family
CENTUM-XL

Functional role
DCS Card

PARAMETER	DOCUMENTED VALUE
Complete identity	FC11*A AS S9051BE-0
Card marking	FC11*A
Assembly marking	S9051BE-0
System family	CENTUM-XL
Installed position	Match station, rack and slot
Hardware match	Connectors, switches and revision
Removal record	Photograph both sides and adjacent cards
Acceptance	Station diagnostics and assigned function

Release basis: verify the exact identity, retained host relationship, connected interfaces and controlled functional result.

CONTACT APTER POWER

WHATSAPP / PHONE

+86 180 3023 5313

EMAIL

sales13@apterpower.com

WEBSITE

www.apterpower.com



FC11*A AS S9051BE-0

System overview

FC11*A AS S9051BE-0 maintains a documented card position inside a CENTUM-XL station, where the two-part identity and as-found hardware arrangement govern compatibility.

- Installed-system renewal**

Restores the documented FC11*A AS S9051BE-0 position while keeping the approved host and interfaces.
- Controlled maintenance**

Supports as-found recording, safe isolation and exact connection restoration.
- Compatibility review**

Compares the full marking, host, connectors, settings and companion hardware.
- Commissioning evidence**

Records diagnostics and a controlled functional test of interface and control-card operation in the recorded CENTUM-XL station.

SYSTEM POSITION

RECORD

Installed identity

FC11*A AS S9051BE-0

CONTACT APTER POWER

WHATSAPP / PHONE

+86 180 3023 5313

EMAIL

sales13@apterpower.com

WEBSITE

www.apterpower.com



FC11*A AS S9051BE-0

Technical data map

PARAMETER	VERIFIED VALUE
Complete identity	FC11*A AS S9051BE-0
Card marking	FC11*A
Assembly marking	S9051BE-0
System family	CENTUM-XL
Installed position	Match station, rack and slot
Hardware match	Connectors, switches and revision
Removal record	Photograph both sides and adjacent cards
Acceptance	Station diagnostics and assigned function

CONTROL BAND	VERIFICATION RECORD
Identity	Exact model and complete label
Mechanical	Form, seating and retention
Interfaces	Power, wiring, communication and protection
Configuration	Settings, project and revision
Release	interface and control-card operation in the recorded CENTUM-XL station

Technical evidence record: Exact supplied two-part board marking

CONTACT APTER POWER

WHATSAPP / PHONE +86 180 3023 5313
EMAIL sales13@apterpower.com
WEBSITE www.apterpower.com



FC11*A AS S9051BE-0

Applications and precautions

1

Confirm the complete FC11*A AS S9051BE-0 marking before work.

2

Place the affected equipment in its approved maintenance state.

3

Isolate connected energy and prove the circuit safe.

4

Photograph the slot, wiring, connectors and settings before removal.

5

Match every documented interface and companion component.

6

Restore mechanical retention, shielding and protective earth.

7

Review hardware, network and controller diagnostics after energization.

8

Functionally verify interface and control-card operation in the recorded CENTUM-XL station before service release.

Complete each check against the installed record; hold release when any identity, connection, configuration or diagnostic result differs.

CONTACT APTER POWER

WHATSAPP / PHONE +86 180 3023 5313
EMAIL sales13@apterpower.com
WEBSITE www.apterpower.com



FC11*A AS S9051BE-0

Buyer and engineering FAQ

What does FC11*A AS S9051BE-0 identify?

FC11*A AS S9051BE-0 identifies the centum-xl interface and control card used for interface and control-card operation in the recorded CENTUM-XL station.

Which installed system must FC11*A AS S9051BE-0 match?

Match FC11*A AS S9051BE-0 to the recorded CENTUM-XL host, position and companion hardware.

Which markings must be checked on FC11*A AS S9051BE-0?

Verify the complete FC11*A AS S9051BE-0 text and every suffix, revision or assembly marking on the supplied item.

What should be recorded before removing FC11*A AS S9051BE-0?

Record the slot, connectors, cable labels, switches, parameters, adjacent hardware and diagnostic state.

Related Apter Power pages

[Yokogawa ALF111 S50 S1 — View product page](#)

[Yokogawa PW404 S1 — View product page](#)

[Yokogawa A2EE1A T — View product page](#)

CONTACT APTER POWER

WHATSAPP / PHONE +86 180 3023 5313
EMAIL sales13@apterpower.com
WEBSITE www.apterpower.com



FC11*A AS S9051BE-0