HIMA F60 GEH 01

Safety System Housing / Identity and operating role

HIMA F60 GEH 01 is the housing for the modular HIMatrix F60 programmable electronic system. HIMA specifies six slots for I/O modules in this exact housing.

Official model	F60 GEH 01
Compact spelling	F60GEH01
Product family	HIMatrix F60
Product class	Modular PES housing
I/O module slots	6
Integrated signal channels	None

MODEL-SPECIFIC POINT

Confirm the exact F60 GEH 01 housing and its six I/O-module positions.

MODEL-SPECIFIC POINT

Record every fitted module and slot before disturbing the assembly.

MODEL-SPECIFIC POINT

Inspect the housing bus and module guides before reinsertion.

MODEL-SPECIFIC POINT

Do not describe the empty housing as a CPU, power supply or I/O module.

Important Notice: F60 GEH 01 is the housing only; verify the complete fitted CPU, power-supply and I/O-module set separately.

IDENTITY CONTROL

Match the complete model and installed record before any replacement decision.

CONFIGURATION CONTROL

Retain the project, addresses, wiring or network data and acceptance evidence together.

HIMA F60 GEH 01

Safety System Housing / System integration and applications

The housing supports an assembled F60 configuration; its operational role depends on the separately selected power supply, CPU and I/O modules installed in the approved slot arrangement.

Modular safety controller

Build an F60 system with separately documented processing and I/O modules.

Six-slot I/O assembly

Organize up to six I/O-module positions in the approved housing.

Controlled spare replacement

Replace a damaged housing while preserving every fitted module identity.

Cabinet modernization

Restore the original F60 slot map during a controlled hardware intervention.

Additional manufacturer data

CPU module	Installed separately
Power supply	Installed separately

VERIFIED RELATED PRODUCTS

Catalog navigation only; compatibility, replacement or substitution is not implied.

01 HIMA F7126

02 HIMA F7130

HIMA F60 GEH 01

Safety System Housing / Installation and commissioning

01 / CONTROLLED STEP

Verify the complete manufacturer and model marking against the approved bill of materials.

02 / CONTROLLED STEP

Record the installed position, terminal arrangement, network assignment and visible diagnostics before removal.

03 / CONTROLLED STEP

De-energize the affected circuit and apply the site isolation and electrostatic-control procedure.

04 / CONTROLLED STEP

Compare every conductor, connector and address with the controlled drawing before transfer.

05 / CONTROLLED STEP

Inspect mating parts, grounding, shielding and enclosure condition before installing the replacement.

06 / CONTROLLED STEP

Restore only the validated project and the documented channel or communication settings.

Release gate

Review startup diagnostics before any live functional test is attempted. Prove the intended response and retain the witnessed acceptance record before release.

Exact identity	F60 GEH 01
Installed position	Record rack, slot and station assignment
Configuration	Retain project, addresses, signal modes and network data
Acceptance	Record diagnostics and witnessed functional response

VERIFIED RELATED PRODUCTS

Catalog navigation only; compatibility, replacement or substitution is not implied.

01 HIMA F7130A

02 HIMA F7131

HIMA F60 GEH 01

Safety System Housing / Model-specific engineering questions

What is HIMA F60 GEH 01?

It is the exact safety system housing identified in the cited HIMA manufacturer material.

Can a nearby HIMA model be substituted?

No. Similar family names do not establish channel, electrical, safety or connector equivalence.

What is the first technical check?

Confirm the exact F60 GEH 01 housing and its six I/O-module positions.

What is required before energization?

Recheck the exact identity, approved wiring, seating, supply, grounding and application-specific protective devices.

Which identity must be checked?

Match the complete F60 GEH 01 marking and the installed project record; do not shorten or normalize the suffix during selection.

What should be recorded before removal?

Record the installed location, terminal or connector arrangement, project assignment, network data and current diagnostics.

What is the second technical check?

Record every fitted module and slot before disturbing the assembly.

What completes acceptance?

Review diagnostics and witness the intended field or logic response under the controlled commissioning procedure.

VERIFIED RELATED PRODUCTS

Catalog navigation only; compatibility, replacement or substitution is not implied.

01 HIMA F7133

Acceptance record

Identify the exact model, restored configuration, diagnostic state and witnessed response. Preserve the record with the controlled maintenance history.

Identity	Complete manufacturer and model marking verified
Configuration	Installed project, mapping, wiring or network data restored
Diagnostics	Relevant module and system indicators reviewed
Release	Intended field response witnessed and recorded

HIMA F60 GEH 01

Safety System Housing / Evidence and support

EVIDENCE BOUNDARY

Only exact manufacturer material supports the stated facts; nearby suffixes are not treated as substitutes.

DOCUMENT USE

Use this file with the installed drawing, project backup and controlled maintenance procedure.

Manufacturer	HIMA
Exact model	F60 GEH 01
Product type	Safety System Housing
Product family	HIMatrix F60
Evidence basis	Exact manufacturer publication

VERIFIED RELATED PRODUCTS

Catalog navigation only; compatibility, replacement or substitution is not implied.

01 HIMA F7541

MANUFACTURER EVIDENCE RECORD

HIMA Technical Product Overview

Manufacturer HIMatrix portfolio entry for the exact six-slot F60 housing.

DOCUMENT PACKAGE

Exact identity: manufacturer and full model are retained throughout this file.

CONTACT APTER POWER

+86 180 3023 5313 | sales13@apterpower.com | www.apterpower.com