Yokogawa CP451-10

Processor Module

01 / CONFIRMED ROLE AND EXACT IDENTITY

Yokogawa CP451-10 is a processor module for an AFV10-series field control unit. It executes the installed control application and is normally applied as a matched processor pair in a duplexed FCU configuration.

Processor Module → **Installed system boundary** → **Verified service evidence**

AFV10 field control processing

Execute regulatory, sequence and system functions defined by the installed control project.

Duplex processor service

Maintain the matched processor pair and its approved active/standby relationship.

Legacy FCU recovery

Restore a documented CP451-10 position without changing the project or node architecture.

Controlled migration preparation

Capture reliable project and hardware evidence before any separately approved modernization activity.

Identity boundary

The CP451 family is documented as the processor position in AFV10S and AFV10D field control units. CP451-10 is retained as a legacy exact execution; no CP451-50 or CP401-specific memory, network or performance ratings are assigned to it without matching documentation.

Module function	Field control unit processor
Documented host family	AFV10S / AFV10D
Control role	Executes installed control application
Processor arrangement	Matched pair in duplexed FCU design

Yokogawa CP451-10

Processor Module

Module function	Field control unit processor
Documented host family	AFV10S / AFV10D
Control role	Executes installed control application
Processor arrangement	Matched pair in duplexed FCU design
Project evidence	Export before removal
Node evidence	Record connected node assignments
Network evidence	Record installed control-network paths
Partner evidence	Identify paired processor and side
Battery evidence	Record status if applicable to installed execution
Boot evidence	Capture pre-work diagnostic state

Use exact evidence

Only values tied to this model or its confirmed manufacturer family are stated.

Preserve installed context

Host, slot, partner and connection evidence govern replacement acceptance.

No adjacent-model inference

Nearby suffixes and related modules do not supply missing ratings.

Keep limits distinct

A maximum or compatibility boundary is not an operating target.

Procurement gate

Replacement boundary	Exact -10 execution
Adjacent version boundary	Do not borrow CP451-50 ratings
Configuration control	No unapproved project change
Post-install proof	Processor recognition and healthy pair

Yokogawa CP451-10

Processor Module

AFV10 field control processing

Execute regulatory, sequence and system functions defined by the installed control project.

Duplex processor service

Maintain the matched processor pair and its approved active/standby relationship.

Legacy FCU recovery

Restore a documented CP451-10 position without changing the project or node architecture.

Controlled migration preparation

Capture reliable project and hardware evidence before any separately approved modernization activity.

Before removal	Record the complete CP451-10 tag, FCU identity, processor side and paired module before service.
Maintenance state	Export and verify the approved control project and node assignment before removing hardware.
Connection record	Place the affected control functions in the approved maintenance state and follow site redundancy rules.
Identity control	Do not install CP451-50 or apply CP401 specifications without approved compatibility evidence.
Acceptance	After installation, confirm recognition, project integrity, pair synchronization and clear diagnostics.
Retained record	Release the FCU only after permitted control response is witnessed and the as-left record is retained.

Engineering boundary

Application examples describe the installed-system role only. They do not establish automatic interchangeability, redesign approval or compatibility with a different suffix.

Yokogawa CP451-10

Processor Module

Question	Evidence-based answer
What control role does Yokogawa CP451-10 perform?	It is the processor module for the compatible AFV10 field control unit and executes the installed control application.
Which field control units use Yokogawa CP451-10?	The CP451 processor family is documented for AFV10S and AFV10D field control units; the exact -10 execution must match the installed system.
Is Yokogawa CP451-10 the same as CP451-50?	No equivalence is assumed. CP451-10 is treated as its own legacy execution and CP451-50 ratings are not assigned to it without approved evidence.
What must be backed up before replacing Yokogawa CP451-10?	Back up the control project, processor assignment, node configuration, network settings and current diagnostics under the site's approved procedure.
How is the duplex partner identified for Yokogawa CP451-10?	Record the left/right or active/standby position, complete tag and paired processor identity before any change.
Which connections must be restored around Yokogawa CP451-10?	Restore the documented backplane position and all approved control-network, node and partner relationships without rerouting the system.
What is the release test for Yokogawa CP451-10?	Confirm healthy recognition, synchronized duplex status where used, clear diagnostics and witnessed permitted control response.
Which identity must be verified before ordering Yokogawa CP451-10?	Verify CP451-10 exactly, the AFV10 host, system release, processor pair and project compatibility.

Decision rule

If the installed evidence disagrees with this record, stop and resolve the exact tag, host documentation and configuration before release.

Yokogawa CP451-10

Processor Module

Replacement boundary	Exact -10 execution
Adjacent version boundary	Do not borrow CP451-50 ratings
Configuration control	No unapproved project change
Post-install proof	Processor recognition and healthy pair
Control proof	Witness permitted application response
Release record	Retain backup, diagnostics and approval

Technical reference record

AFV10S / AFV10D Field Control Unit

GS 33J60E10-01EN; selected page documenting CP451 placement in AFV10 field control units

Related Apter Power catalog references

Catalog navigation only. These entries do not establish compatibility, substitution or approval of a changed installation.

Yokogawa AFV10D S2 | View Yokogawa AFV10D S2 page

Yokogawa EC401-10 S2 | View Yokogawa EC401-10 S2 page

Yokogawa ADV151-P00 S2 | View Yokogawa ADV151-P00 S2 page

CONTACT APTER POWER

WHATSAPP / PHONE +86 180 3023 5313

EMAIL sales13@apterpower.com

WEBSITE www.apterpower.com

Send the exact model, quantity and requested condition for a quotation.

CP451-10