51195153-902

RG6 Drop Cable

Honeywell 51195153-902 is an RG6 drop cable set with a documented assembled length of 2.5 m.

PRODUCT SNAPSHOT

BRAND	Honeywell
FAMILY	Universal Control Network
PART	51195153-902
PRODUCT TYPE	RG6 Drop Cable

APTER POWER SALES TEAM

WHATSAPP / PHONE
+86 180 3023 5313

EMAIL
sales13@apterpower.com

WEBSITE
www.apterpower.com

PRODUCT OVERVIEW

Honeywell 51195153-902 is an RG6 drop cable set with a documented assembled length of 2.5 m.

1. Provides a 2.5 m RG6 equipment drop cable.
2. Maintains exact cable-set identity during network service.
3. Connects the assigned equipment drop without field-length inference.
4. Supports controlled replacement of a legacy UCN drop.

SYSTEM COMPONENTS

- Assigned UCN equipment drop
- RG6 cable set
- Documented tap or equipment port
- Existing cable-route record

TECHNICAL NOTE

The exact suffix defines the factory cable length. Connector, impedance and routing claims remain unspecified unless confirmed by the installed drawing.

TECHNICAL DATA

PARAMETER	VALUE
Part number	51195153-902
Cable type	RG6 drop cable set
Cable length	2.5 m

PARAMETER	VALUE
Network role	Equipment drop connection
Execution	Factory cable set

ENGINEERING NOTE

The exact suffix defines the factory cable length. Connector, impedance and routing claims remain unspecified unless confirmed by the installed drawing.

RELATED PRODUCTS ON APTER POWER

MODEL	SYSTEM ROLE	APTER POWER PAGE
Honeywell MC-TDOR62	TPS relay-output termination	**View Honeywell MC-TDOR62 page**
Honeywell MC-TPIX12 51304084-175	TPS pulse-input termination	**View Honeywell MC-TPIX12 51304084-175 page**
Honeywell MC-TSIM12 51303932-476	TPS serial-interface termination	**View Honeywell MC-TSIM12 51303932-476 page**
Honeywell MC-TAOY25 51305865-275	TPS analog-output termination	**View Honeywell MC-TAOY25 51305865-275 page**
Honeywell DC-TFB412	Series C redundant FIM IOTA	**View Honeywell DC-TFB412 page**
Honeywell MC-IOLX02	TPS remote I/O link extender	**View Honeywell MC-IOLX02 page**
Honeywell 10002/1/2	FSC control and I/O module	**View Honeywell 10002/1/2 page**
Honeywell 10014/F/F	FSC communication module	**View Honeywell 10014/F/F page**

APPLICATIONS & PRECAUTIONS

COMMON APPLICATIONS

Short equipment drop replacement

Provides a 2.5 m RG6 equipment drop cable.

UCN cabinet interconnection

Maintains exact cable-set identity during network service.

Legacy controller network service

Connects the assigned equipment drop without field-length inference.

Spare cable-set management

Supports controlled replacement of a legacy UCN drop.

PRODUCT PRECAUTIONS

1. Confirm 51195153-902 and the documented 2.5 m length.
2. Record both cable-end destinations before removal.
3. Isolate network service under the approved maintenance plan.
4. Protect cable ends from contamination and bending damage.
5. Route the replacement through the documented path.
6. Do not infer connector or impedance data from another RG6 set.
7. Restore strain relief and equipment-port identity.
8. Retain continuity and network communication acceptance evidence.

ENGINEER FAQ

Q1 What cable type is Honeywell 51195153-902?

It is identified as an RG6 drop cable set.

Q2 What assembled length is documented for Honeywell 51195153-902?

The identified factory cable length is 2.5 m.

Q3 Why must the suffix be retained on Honeywell 51195153-902?

The suffix distinguishes the factory cable-set length from the other 51195153 executions.

Q4 Can connector details be inferred for Honeywell 51195153-902?

No. Use the installed drawing or controlled cable documentation for connector details.

Q5 What should be labeled before removing Honeywell 51195153-902?

Label both equipment destinations and the complete cable route.

Q6 How should Honeywell 51195153-902 be routed during replacement?

Follow the recorded path while protecting bend radius, strain relief and cable ends.

Q7 What should be checked before connecting Honeywell 51195153-902?

Confirm exact part number, length, end destinations and physical cable condition.

Q8 What completes acceptance of Honeywell 51195153-902?

Verify continuity, correct end-to-end placement and stable network communication.

SOURCE Honeywell cable-set parts identification records | RG6 drop cable set 2.5 m

+86 180 3023 5313 | sales13@apterpower.com | www.apterpower.com