A413171

Process Interface Controller Card

Metso Automation A413171 Process Interface Controller Card with exact-model technical data, controlled replacement guidance and product-specific verification records.

A413171 configuration dashboard

Process-interface coordination

The card operates through its installed rack and control database rather than as an independent generic output board.

Revision-led spare selection

A413171 revision, auxiliary markings and connector layout must be compared with the removed card.

Database-preserving maintenance

Assigned signals and application records are retained before board exchange.

Exact order-code identity

Complete product reference	A413171
Manufacturer	Metso Automation
Product type	Process Interface Controller Card
System platform	Metso Automation legacy process-control system
Part number	A413171
Product class	Process interface controller card
Board format	Plug-in printed circuit card
System context	Legacy process-control hardware

A413171 identifies a Metso Automation legacy process interface controller card. The exact card revision and secondary board markings remain part of the supplied identity.

Process Interface Controller Card technical capability map

Revision boundary	Complete card revision and label
Application boundary	Installed control database and I/O assignment
Replacement basis	Part number, revision and connector layout
Commissioning basis	Controller recognition and assigned process function

Connector boundary	Rack and field-interface connectors
Handling requirement	ESD-controlled board handling
As-found evidence	Both board faces and rack position
Replacement basis	Complete marking and installed-system evidence

Installed signal or connection path

Field signal > **Termination block** > **A413171** > **LocalBus** > **Control strategy**

System interpretation boundary

Channel count, signal range and signal direction are installation-dependent for A413171 and must be taken from the fitted card label, rack records and approved control database.

Before replacement, capture the rack slot, connectors and database assignment under ESD control. After fitting, verify controller recognition and the assigned process function against the retained baseline.

Application fit decisions for A413171

Legacy process-control maintenance

Restore the exact card in its documented rack and database assignment.

Revision-controlled spare planning

Compare full label, board revision and connector layout.

Rack fault isolation

Separate card, supply, backplane, cable and database causes.

Configuration-preserving exchange

Retain application and signal assignments before removal.

Engineering decision matrix

How should the rack position of A413171 be documented?	Record cabinet, rack, slot, connector orientation and adjacent-card identities before removing the process interface card.
Which database records must be protected before replacing A413171?	Back up the installed control database, assigned signals, scaling and application logic with the active version.
How should connector identity be verified for A413171?	Photograph every connector and terminal relationship and compare keying and pin assignments with the approved cabinet drawing.
Why is the full card revision important for A413171?	Secondary markings and revision labels may define hardware execution, so they must agree with the offered card and installed rack.

Applications must be evaluated against the exact installed machine drawing, target, companion hardware and receiving channel. Related product references do not imply substitution.

A413171 service controls and maintenance logic

Capture rack and slot

Photograph the card position, adjacent hardware and all labels.

Back up the control database

Retain signal assignments, scaling and application version.

Map every connector

Record orientation, keying and cable or terminal identity.

Verify the full revision

Compare all secondary card markings with the offered unit.

Control ESD handling

Protect edge connectors and use grounded antistatic controls.

Test assigned process functions

Compare diagnostics and representative signals with the retained baseline.

Additional technical questions

How should signal type be confirmed for A413171?	Use the fitted card label, rack records and approved database to establish channel count, direction and range before reconnecting field circuits.
What handling controls apply to A413171?	Use grounded ESD handling, protect edge connectors and keep the board in antistatic packaging until the rack is ready.
How can a process fault after installing A413171 be isolated?	Compare rack diagnostics, connector seating, database assignment and representative field signals with the retained baseline.

What proves that A413171 is accepted?	The controller must recognize the card without unexpected diagnostics and each assigned process function must pass its controlled test.

Technical notes

Exact identity	A413171
Documented function	Process Interface Controller Card
Technical evidence	Metso Automation / Valmet installed-card identity and legacy process-control documentation
Verification boundary	Confirm the complete marking and installed Metso Automation legacy process-control system arrangement before selection

A413171 source record and supported references

Manufacturer reference	Metso Automation / Valmet installed-card identity and legacy process-control documentation
Applicability	Facts are limited to the exact order-code selections and stated matched-system conditions.
Public page	Exact product page linked from the first-page model title
Evidence boundary	No neighboring-model option or unsupported lifecycle conclusion is assigned to this product.

Verified related product references and contact

Related family reference	Metso Automation A413040
Related family reference	Metso Automation A413042
Related family reference	Metso Automation A413150
Related family reference	Metso Automation A413177

Discuss the exact marking and installed relationship with Apter Power.
sales13@apterpower.com | +86 18030235313